

WELDTEC® CLEAR QUARTZ TIG NOZZLES



WT17, WT18, WT26 TYPE TORCH HEADS, SW418, 1718 i HEADS, WT28 and WT29

These modern fused Quartz Nozzles offer superior temperature and thermal shock resistance, surpassing both Pyrex® and the pink Ceramic Nozzles for performance.

- * Better weld puddle visibility.
- * Higher Heat resistance.
- * No thermal shock breakage.
- * Better Laminar gas coverage.

Available in different bore sizes and lengths to suit your job requirements.

You can use the Long Quartz Nozzles with the WT17 Standard Collets and Collet Bodies by using a simple Adaptor Ring (10NQA).

The Stubby Collet Body (17CB20) or a special Small Stubby Gas Lens - both used with the range of Stubby Collets - also allow use of the shorter Quartz Nozzles.



Long Quartz Nozzle
fitted to WT17
with 10NQA Adaptor Ring



Short Quartz Nozzle
fitted to WT17
with Small Stubby Gas Lens



10NQA
ADAPTOR RING
(used with Standard Collet Body)



10NQG
NOZZLE GASKET



10NQ-7L
7/16" BORE x 1.3/4" LONG



10NQ-9L
9/16" BORE x 1.3/4" LONG



13NQA-2
ADAPTOR RING
(used with 17CB20 Stubby Collet Body)



13NQ-5
5/16" BORE x 1" LONG



13NQ-5L
5/16" BORE x 1.3/4" LONG




SMALL STUBBY
GAS LENS



13NQ-7
7/16" BORE x 1" LONG



13NQ-9
9/16" BORE x 1" LONG



WELDTEC® CLEAR QUARTZ TIG NOZZLES



WT17, WT18, WT26 TYPE TORCH HEADS, SW418, 1718 i HEADS, WT28 and WT29

Using Standard Collets and Collet Bodies - remove 18CG Cup Gasket and use 10NQG Gasket.

| | | | |
|---------|--|------|-------|
| 10NQG | Nozzle Gasket | Each | 6.20 |
| 10NQA | Adaptor Ring | Each | 4.10 |
| 10NQ-7L | 7/16" Bore x 1.3/4" Long Quartz Nozzle | Each | 28.20 |
| 10NQ-9L | 9/16" Bore x 1.3/4" Long Quartz Nozzle | Each | 28.20 |
| 10N22 | 0.040" Standard Collet | PK 5 | 6.40 |
| 10N23 | 1/16" Standard Collet | PK 5 | 6.40 |
| 10N24 | 3/32" Standard Collet | PK 5 | 6.40 |
| 10N25 | 1/8" Standard Collet | PK 5 | 6.40 |
| 10N30 | 0.040" Standard Collet Body | PK 5 | 13.80 |
| 10N31 | 1/16" Standard Collet Body | PK 5 | 13.80 |
| 10N32 | 3/32" Standard Collet Body | PK 5 | 13.80 |
| 10N28 | 1/8" Standard Collet Body | PK 5 | 13.80 |

Using Stubby Collet Body 17CB20 - remove 18CG Cup Gasket and use 10NQG Gasket.

| | | | |
|---------|--|------|-------|
| 10NQG | Nozzle Gasket | Each | 6.20 |
| 13NQA-2 | Adaptor Ring (with 'O' rings) | Each | 5.60 |
| 17CB20 | Universal Stubby Collet Body | PK 5 | 24.90 |
| 10N23S | 1/16" Stubby Collet | PK 5 | 13.80 |
| 10N24S | 3/32" Stubby Collet | PK 5 | 13.80 |
| 10N25S | 1/8" Stubby Collet | PK 5 | 13.80 |
| 13NQ-5 | 5/16" Bore x 1" Quartz Nozzle | Each | 26.70 |
| 13NQ-7 | 7/16" Bore x 1" Quartz Nozzle | Each | 26.70 |
| 13NQ-9 | 9/16" Bore x 1" Quartz Nozzle | Each | 26.70 |
| 13NQ-5L | 5/16" Bore x 1.3/4" Long Quartz Nozzle | Each | 28.20 |
| 10NQ-7L | 7/16" Bore x 1.3/4" Long Quartz Nozzle | Each | 28.20 |
| 10NQ-9L | 9/16" Bore x 1.3/4" Long Quartz Nozzle | Each | 28.20 |

Using Small Stubby Gas Lens - remove 18CG Cup Gasket and use 10NQG Gasket.

| | | | |
|---------|--|------|-------|
| 10NQG | Nozzle Gasket | Each | 6.20 |
| 17GL116 | 1/16" Small Stubby Gas Lens | Each | 9.30 |
| 17GL332 | 3/32" Small Stubby Gas Lens | Each | 9.30 |
| 17GL18 | 1/8" Small Stubby Gas Lens | Each | 9.30 |
| 10N23S | 1/16" Stubby Collet | PK 5 | 13.80 |
| 10N24S | 3/32" Stubby Collet | PK 5 | 13.80 |
| 10N25S | 1/8" Stubby Collet | PK 5 | 13.80 |
| 13NQ-5 | 5/16" Bore x 1" Quartz Nozzle | Each | 26.70 |
| 13NQ-7 | 7/16" Bore x 1" Quartz Nozzle | Each | 26.70 |
| 13NQ-9 | 9/16" Bore x 1" Quartz Nozzle | Each | 26.70 |
| 13NQ-5L | 5/16" Bore x 1.3/4" Long Quartz Nozzle | Each | 28.20 |
| 10NQ-7L | 7/16" Bore x 1.3/4" Long Quartz Nozzle | Each | 28.20 |
| 10NQ-9L | 9/16" Bore x 1.3/4" Long Quartz Nozzle | Each | 28.20 |

ALL PRICES ARE IN POUNDS STERLING (GBP) and EXCLUDE VAT .

CARRIAGE is EXTRA.

TO ORDER:-

Telephone +44 (0)1942 497 387

email: info@weldmarkuk.com

**WELDMARK LTD
Hodson Street
WIGAN
Lancashire
WN3 4EN
UNITED KINGDOM**